



PURE CHILL PURE STAR



PRODUCT CATALOGUE

COOLING SOLUTIONS.
BUILT TO LAST BEYOND ORDINARY



ABOUT ROCSTA

At Rocsta, we believe refrigeration is more than preserving temperature. It's about protecting businesses, maintaining product quality, and delivering confidence every single day.

Designed for India's demanding climate, Rocsta products combine robust engineering, premium aesthetics, and energy-efficient performance to deliver dependable cooling across retail, commercial, and hospitality environments.

Every Rocsta appliance is built with precision, tested for reliability, and engineered to perform consistently under real-world operating conditions.

**BECAUSE EXCEPTIONAL
COOLING SHOULDN'T BE
OCCASIONAL. IT SHOULD BE
EXPECTED.**





OUR PURPOSE



MISSION


To engineer world-class refrigeration solutions that combine performance, efficiency, durability, and design, helping businesses preserve freshness while operating with complete confidence.



VISION

To become India's most trusted commercial refrigeration brand by setting new benchmarks in innovation, reliability, performance and customer satisfaction across every cooling solution we create.






ROCSTA

PURE CHILL PURE STAR



- Advanced Automation & Assembly
 - Robotic Sheet Metal Processing
 - Automated Powder Coating Lines
 - Precision Foaming Cells
 - Smart Quality Control & Testing
 - Digital Charging Stations
 - Automated Multi-Point Testing Chambers
 - Traceability & Smart Factory Logistics
- 



PURE CHILL PURE STAR

PRODUCT CATEGORIES

PRECISION COOLING FOR EVERY REQUIREMENT.

BEVERAGE SUPER COOLER



CLEAR ICE BULLET MACHINE



SUPER FREEZER



GOLD STANDARD WATER COOLER



MINI BAR





PURE CHILL PURE STAR

BEVERAGE SUPER COOLERS



MODEL	RC-BSC-130	RC-BSC-230	RC-BSC-330
 STORAGE	95 L	188 L	285 L
 NO. OF SHELVES	4	4	3 + 1
 EXTERNAL DIMENSION (mm)	485 x 590 x 882	580 x 585 x 1745	576 x 686 x 1458
 INTERNAL DIMENSION (mm)	470 x 590 x 882	556 x 530 x 1676	492 x 551 x 1050
 DOORS	Self Closing Single Door	Self Closing Single Door	Self Closing Single Door
 AMBIENT TEMP DESIGN	43°C	43°C	43°C
 COOLING TYPE	Frost Free With Fan	Frost Free With Fan	Frost Free With Fan
 CANOPY FOR BRANDING	NO	NO	NO



PURE CHILL PURE STAR

BEVERAGE SUPER COOLERS



MODEL	RC-BSC-430	RC-BSC-530	RC-BSC-730
 STORAGE	360 L	458 L	607 L
 NO. OF SHELVES	4 + 1	5 + 1	5 + 1
 EXTERNAL DIMENSION (mm)	576 x 686 x 1724	578 x 652 x 2071	741 x 635 x 2079
 INTERNAL DIMENSION (mm)	492 x 551 x 1320	494 x 556 x 1666	656 x 555 x 1666
 DOORS	Self Closing Single Door	Self Closing Single Door	Self Closing Single Door
 AMBIENT TEMP DESIGN	43°C	43°C	43°C
 COOLING TYPE	Frost Free With Fan	Frost Free With Fan	Frost Free With Fan
 CANOPY FOR BRANDING	NO	NO	NO



PURE CHILL PURE STAR

BEVERAGE SUPER COOLERS



MODEL	RC-BSC-830	RC-BSC-1030	RC-BSC-1030C
 STORAGE	775 L	960 L	950 L
 NO. OF SHELVES	4	6 + 6	5 + 5
 EXTERNAL DIMESNION (mm)	1090 x 660 x 2050	1027 x 756 x 2075	1027 x 744 x 2032
 INTERNAL DIMENSION (mm)	1050 x 640 x 2020	940 x 648 x 1580	940 x 648 x 1582
 DOORS	Self Closing Two Door	Self Closing Two Door	Self Closing Two Door
 AMBIENT TEMP DESIGN	43°C	43°C	43°C
 COOLING TYPE	Frost Free With Fan	Frost Free With Fan	Frost Free With Fan
 CANOPY FOR BRANDING	NO	NO	YES



PURE CHILL PURE STAR

SUPER FREEZERS



MODEL	RC-CF-130SD	RC-CF-250SD
 STORAGE	95 L	201 L
 THERMAL INSULATION	65 mm with High Density Cyclopentane	65 mm with High Density Cyclopentane
 DIMESNION (mm)	565 x 560 x 850	960 x 560 x 850
 TEMPERATURE	+8°C TO -25°C	+8°C TO -25°C
 CONDENSER	DUAL WITH FAN	DUAL WITH FAN
 COMPRESSOR WATTAGE	110 Watt	140 Watt
 ANNUAL POWER DEMAND	379 Units	N/A
 MOBILITY	360° Rotary Wheels	360° Rotary Wheels



PURE CHILL PURE STAR

SUPER FREEZERS



MODEL	RC-CF-300DD	RC-CF-380DD	RC-CF-380DDSS
 STORAGE	250 L	315 L	315 L
 THERMAL INSULATION	65 mm with High Density Cyclopentane	75 mm with High Density Cyclopentane	75 mm with High Density Cyclopentane
 DIMENSION (mm)	1100 x 600 x 850	1100 x 675 x 850	1100 x 675 x 850
 TEMPERATURE	+8°C TO -25°C	+8°C TO -25°C	+8°C TO -25°C
 CONDENSER	DUAL WITH FAN	DUAL WITH FAN	DUAL WITH FAN
 COMPRESSOR WATTAGE	168 Watt	193 Watt	N/A
 ANNUAL POWER DEMAND	745 Units	N/A	766
 MOBILITY	360° Rotary Wheels	Swivel Castor Wheel	Swivel Castor Wheel



PURE CHILL PURE STAR

SUPER FREEZERS



MODEL	RC-CF-450DD	RC-CF-550DD	RC-CF-630DDSS
 STORAGE	386 L	487 L	552 L
 THERMAL INSULATION	60 mm with High Density Cyclopentane	60 mm with High Density Cyclopentane	70 mm with High Density Cyclopentane
 DIMENSION (mm)	1350 x 720 x 830	1650 x 720 x 830	1855 x 740 x 850
 TEMPERATURE	+8°C TO -25°C	+8°C TO -25°C	+8°C TO -25°C
 CONDENSER	DUAL WITH FAN	DUAL WITH FAN	DUAL WITH FAN
 COMPRESSOR WATTAGE	275 Watt	275 Watt	275 Watt
 ANNUAL POWER DEMAND	N/A	1278 Units	N/A
 MOBILITY	Swivel Castor Wheel	Swivel Castor Wheel	Swivel Castor Wheel



PURE CHILL PURE STAR

SUPER FREEZERS



MODEL	RC-CF-780TD	RC-CF-1030TD	RC-CF-1230TD
 STORAGE	650 L	850 L	1050 L
 THERMAL INSULATION	65 mm with High Density Cyclopentane	90 mm with High Density Cyclopentane	90 mm with High Density Cyclopentane
 DIMENSION (mm)	2200 x 715 x 815	1848 x 857 x 960	2354 x 857 x 960
 TEMPERATURE	+8°C TO -25°C	-24°C	-24°C
 CONDENSER	DUAL WITH FAN	COPPER	COPPER
 COMPRESSOR WATTAGE	243 Watt	237 Watt	243 Watt
 ANNUAL POWER DEMAND	N/A	N/A	N/A
 MOBILITY	Swivel Castor Wheel	Swivel Castor Wheel	Swivel Castor Wheel

*2+3 Year Warranty only for RC-CF-780TD model



PURE CHILL PURE STAR

SUPER FREEZERS



MODEL	RC-CF-1530TD	RC-CF-1830TD
 STORAGE	1350 L	1600 L
 THERMAL INSULATION	90 mm with High Density Cyclopentane	90 mm with High Density Cyclopentane
 DIMENSION (mm)	2735 x 930 x 960	3315 x 930 x 960
 TEMPERATURE	-24°C	-24°C
 CONDENSER	COPPER	COPPER
 COMPRESSOR WATTAGE	300 Watt	292 Watt
 ANNUAL POWER DEMAND	N/A	N/A
 MOBILITY	Swivel Castor Wheel	Swivel Castor Wheel



PURE CHILL PURE STAR

GLASS TOP CHEST FREEZERS



MODEL	RC-GCF-250	RC-GCF-350	RC-GCF-450
 STORAGE	205 L	275 L	355 L
 THERMAL INSULATION	65 mm with High Density Cyclopentane	65 mm with High Density Cyclopentane	65 mm with High Density Cyclopentane
 DIMENSION (mm)	980 x 650 x 830	1225 x 650 x 830	1400 x 690 x 830
 TEMPERATURE	-24°C	-24°C	-24°C
 CONDENSER	DUAL WITH FAN	DUAL WITH FAN	DUAL WITH FAN
 COMPRESSOR WATTAGE	275 Watt	325 Watt	325 Watt
 ANNUAL POWER DEMAND	N/A	1258 Units	1603 Units
 MOBILITY	360° Rotary Wheels	360° Rotary Wheels	Swivel Castor Wheel



PURE CHILL PURE STAR

GOLD STANDARD WATER COOLER



MODEL	RC-WC-1530SS202	RC-WC-1530SS304
 STORAGE	30 L	30 L
 COOLING CAPACITY	15 Ltr/hr	15 Ltr/hr
 DIMENSION (mm)	445 x 460 x 1020	445 x 460 x 1020
 NO. OF TAPS	SINGLE	SINGLE
 TANK MATERIAL	FOOD GRADE SS 304	FOOD GRADE SS 304
 BODY MATERIAL	BIS SS 202	BIS SS 304
 EVAPORATION TANK	100% COPPER	100% COPPER
 ISI MARK	YES	YES



PURE CHILL PURE STAR

GOLD STANDARD WATER COOLER



MODEL	RC-WC-6080SS202	RC-WC-6080SS304	RC-WC-80120SS202
 STORAGE	80 L	80 L	120 L
 COOLING CAPACITY	60 Ltr/hr	60 Ltr/hr	80 Ltr/hr
 DIMENSION (mm)	640 x 460 x 1220	640 x 460 x 1220	730 x 550 x 1210
 NO. OF TAPS	DOUBLE	DOUBLE	DOUBLE
 TANK MATERIAL	FOOD GRADE SS 304	FOOD GRADE SS 304	FOOD GRADE SS 304
 BODY MATERIAL	BIS SS 202	BIS SS 304	BIS SS 202
 EVAPORATION TANK	100% COPPER	100% COPPER	100% COPPER
 ISI MARK	YES	YES	YES



PURE CHILL PURE STAR

GOLD STANDARD WATER COOLER



MODEL	RC-WC-80120SS304	RC-WC-150150SS202	RC-WC-150150SS304
 STORAGE	120 L	150 L	150 L
 COOLING CAPACITY	80 Ltr/hr	150 Ltr/hr	150 Ltr/hr
 DIMENSION (mm)	730 x 550 x 1210	730 x 550 x 1310	730 x 550 x 1310
 NO. OF TAPS	DOUBLE	THREE	THREE
 TANK MATERIAL	FOOD GRADE SS 304	FOOD GRADE SS 304	FOOD GRADE SS 304
 BODY MATERIAL	BIS SS 304	BIS SS 202	BIS SS 304
 EVAPORATION TANK	100% COPPER	100% COPPER	100% COPPER
 ISI MARK	YES	YES	YES



PURE CHILL PURE STAR

GOLD STANDARD WATER COOLER



MODEL	RC-WC-150400SS202	RC-WC-200400SS304
 STORAGE	400 L	400 L
 COOLING CAPACITY	150 Ltr/hr	200 Ltr/hr
 DIMENSION (mm)	970 x 680 x 1570	970 x 680 x 1570
 NO. OF TAPS	FOUR	FOUR
 TANK MATERIAL	FOOD GRADE SS 304	FOOD GRADE SS 304
 BODY MATERIAL	BIS SS 202	BIS SS 304
 EVAPORATION TANK	100% COPPER	100% COPPER
 ISI MARK	YES	YES



PURE CHILL PURE STAR

CLEAR ICE BULLET MACHINE



MODEL	RC-ICM-30B	RC-ICM-60B	RC-ICM-100B
 SHAPE	BULLET	BULLET	BULLET
 STORAGE (KG)	8	25	26
 PRODUCTION (Kg/Day)	30	60	95
 DIMENSION (mm)	780 x 465 x 535	790 x 625 x 705	890 x 625 x 705
 VOLTAGE	230v/50hz	230v/50hz	230v/50hz
 POWER CONSUMPTION	0.22 KW/Hr	0.37 KW/Hr	0.38 KW/Hr
 BIS	YES	YES	YES



PURE CHILL PURE STAR

MINI BAR



MODEL	RC-MBF-55H	RC-MBF-105H
 DOOR OPTION	HARD	HARD
 CAPACITY (Ltr)	48	92
 INPUT POWER (W)	55	55
 ENERGY CONSUMPTION	0.7	0.7
 TEMPERATURE	2°C - 10°C	2°C - 10°C
 DIMENSIONS (mm)	455 x 460 x 520	455 x 495 x 845
 CONTAINER (20/40HC)	220 / 575	110 / 230



ROCSTATM

PURE CHILL PURE STAR



Scan QR to visit
the Company Website
www.rocstaindia.com

Toll Free No.: 1800 410 2885

Customer Care Mail: service@rocstaindia.com

For Sale Enquiries: +91 99906 36861

Rockstar Innovations India Pvt. Ltd.

Alt. F-101 Okhla 236, 2nd floor, Ishwar Nagar,
New Delhi- 110020